

1080P Conference PTZ Camera

Unear V51E



Features

- 1080P full HD.
- Electric mechanical pan/tilt.
- Full-function USB interface.
- Supports remote control.
- Low light capability, with an image signal-to-noise ratio (SNR) of over 55dB.
- H.264 video stream with Slice support, suitable for high-end USB conference video applications.
- Supports dual-stream output.

Specifications


Model	Unear V51E
Lens	
Image Sensor	1/2.8", CMOS
Focus	f4.7mm to 46.3mm
FOV (horizontal)	58.5° to 6.5°
FOV (vertical)	35.1° to 3.6°
Non-Distortion Lens	Support
Zoom	10x optical zoom
Iris	F1.8 to F2.8
Video Performance	
Coded Format	MJPEG/H.264
Anti-flicker	Support
Auto Exposure	Support

Auto White Balance	Support
Max. Image Resolution	H.264: Max, 1080P@30fps; MJPEG: Max, 1080P@30fps
General	
Accessories Included	1 × Power Adapter, 1 × Quick Guide, 1 × Infrared Remote Control, 1 × Data Cable
Operating System Support	Windows 7, Windows 8, Windows 10, Mac OS X, Linux, Android
Power Supply	DC 12 V/0.5 A
Product Dimensions (W × H × D) (mm)	141.5 × 170.2 × 151.1
Packaging Dimensions (W × H × D) (mm)	222 × 222 × 240
Operating Temperature	-10°C to 40°C
Storage Temperature	-40°C to 60°C
Operating Humidity	10% to 90%RH
Total power Consumption (W)	6
Weight (kg)	Net weight: 1.153 Gross weight: 1.6
Interface	
USB	1 × USB 2.0, Type B port USB Communication Protocol: UVC 1.1
Power	DC IN
Other	1 × RS232, 8-pin mini DIN
PTZ Specs	
Horizontal Rotation Range	-170° to 170°
Vertical Rotation Range	-30° to 90°
Horizontal Rotation Speed Range	2.7° to 47°/s
Vertical Rotation Speed Range	3.4° to 30°/s
Flip Horizontally and Vertically	Support
Preset Function	255
Preset Position Accuracy	0.1°
Basic	
Connection Method	USB connection

Dimensions



Interface



Ordering Info

Product Model	Description
Unear V51E	1080P Conference PTZ Camera

Zhejiang Uniview Technologies Co., Ltd.

No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China (Zhejiang) Pilot Free Trade Zone, China

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

<http://www.uniview.com>

©2025 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.

*Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.