


55" LED UHD Monitor

MW3255-F-V



Key Features


- 4K UHD display.
- Stable structure design, highly durable, ultra-narrow bezel, ultra-slim depth, light-weight and elegant.
- Industrial-grade panel, 24/7 continuous operation.
- The automatic color and image enhancing engine effectively improves the contrast, details, and edges of the images and to render optimum colors.
- Wide 178° viewing angles allow viewing from almost any direction.
- Silent operation, offering a quiet working environment.
- VESA standard mount enables easy installation.
- Flexible wall mount and stand mount, saving space.

Specifications


Model	MW3255-F-V
Panel	
Light source	LED backlight
Panel size	55 inches
Pixel pitch (mm)	0.315*0.315
Resolution	3840*2160
Brightness (cd/m ²)	300

Contrast ratio	1000:1
Response time (ms)	14
Color support	1.07B
Display size (mm)	1209.6*680.4
Viewing angle (H/V)	178°/178°
Interface	
Video input	2*HDMI、2*DP
Audio output	3.5mm headphone jack
Speaker	
Speaker	2*5W
OSD	
Language	English、French、German、German、Italian、Dutch、Korean、Simplified Chinese、Traditional Chinese
VESA	
Wall mount hole (mm)	200*200
Wall mount screw	M6 (10mm deep thread)
General	
Input voltage	AC 100~240V, 50/60Hz
Typical power consumption (W)	≤115
Standby power consumption (W)	≤0.5
Operation temperature	0~40℃
Operation humidity	20%~85% (non-condensing)
Storage temperature	-20~60℃
Storage humidity	10%~90% (non-condensing)
Product dimensions (W*H*D)(mm)	1234.6*715.9*74.8
Package dimensions (W*H*D)(mm)	1322*818*141
Weight (kg)	Net Weight:9.4 Gross Weight:11.8
Accessories included	1*HDMI cable、1*Quick Guide、1*Remote Control、1*Power Cable

Dimensions



Interfaces



Order Information

Model	Remarks
MW3255-F-V	55-inch LED monitor

HB-5055-H-55 Inch 4K Monitor Base Bracket	Optional
HB-4032-E-55 Inch Monitor Wall Mount Bracket	Optional

Zhejiang Uniview Technologies Co., Ltd.

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

<http://www.uniview.com>

©2022 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

* Product specifications and availability are subject to change without notice.