

Outdoor Rental LED Display Screen

MW77XX-RO



MW77XX-RO Outdoor Rental LED Display Screen

Features

- Advanced grayscale gives detailed and realistic images.
- High refresh rate, high brightness, no glare, better viewing experience.
- Seamlessly splice images without black lines on the screen.
- Slim and light die-cast aluminum cabinet.
- Modular installation with a magnetic suction tool, simple and stylish appearance, easy installation.
- Quick lock design for quick installation with only one person.
- Front/rear maintenance.
- Power supply with a wide input voltage range, strong adaptability.
- Long lifetime.
- Low heat, excellent heat dissipation, no noise.
- Low failure rate and maintenance cost.
- Ultra-wide viewing angle ensures satisfactory viewing experience from diversified angles.

1



Specifications


Model	MW7739-RO	MW7748-RO		
Module				
Pixel pitch	P3.9	P4.8		
Resolution (W*H)	64*64	52*52		
Dimensions (mm)	250*250			
Cabinet				
Dimensions (mm)	500*500*82			
Resolution (W*H)	128*128	104*104		
Weight (kg/pcs)	6.5			
Pixel density (pitch/m²)	65536	43264		
Material	Die-cast aluminum			
Optical				
Brightness (nits)	4500-5000 adjustable			
Contrast ratio	5000:1			
Color temperature (K)	2000 to 9300			
Viewing angle (H/V)	160°/120°			
Processing performance				
Grayscale (bit)	14			
Scan (S)	8	7		
Refresh rate (Hz)	3840			
Single pixel brightness correction	Support			
Single pixel color correction	Support			
Center distance deviation of LED	<3%			
Brightness uniformity	≥95%			
Color uniformity (Cx,Cy)	±0.003			
Electrical				
Average power consumption (W/m²)	280			
Max. power consumption (W/m²)	830			
Power supply (V)	AC 100 to 240			
Drive mode	Constant current driving			
General				
Maintenance mode	Front/rear maintenance			
Ingress protection	Front/rear: IP65/IP54			
Operating temperature	-20°C to 50°C			
Operating humidity	10% to 90% RH non-condensing			
Storage temperature	-40°C to 60°C			





Storage humidity	10% to 95% RH non-condensing
LED lifetime (h)	100000
Certifications	RoHS

Appearance

Dimensions









Order Information

Model	Remarks
MW7739-RO	Outdoor Rental LED Display Screen
MW7748-RO	Outdoor Rental LED Display Screen

Zhejiang Uniview Technologies Co., Ltd.

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: overse as business@uniview.com; global support@uniview.com

http://www.uniview.com

©2022 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

* Product specifications and availability are subject to change without notice.