

## 22" LED FHD Monitor

#### MW3222-L



#### **Key Features**

- True color display
- Resolution is up to at 1920\*1080
- Wide viewing angle:178°(H)/ 178°(V)
- Specific menu design, which is simple to operate
- Support7\*24working and lower power consumption
- Adaptively recognize signal
- VESA stand bracket
- Support multiply language
- Built-in 3D COMB filter and 3D Noise Reduction
- 5ms response time for no motion blur, judder or ghosting
- High fidelity digital processing for a brilliant and vivid video
- Professional thermal design to extend equipment lifespan




# **Specifications**

Model	MW3222-L
Display	
Display Type	LED Backlight
Screen Size	21.5"
Aspect Ratio	16:9
Pixel Pitch(mm)	0.2482*0.2482
Max Resolution	1920*1080
Brightness	250 cd/m <sup>2</sup>
Contrast	3000:1
Response Time	7ms
Color	16.7M
Viewing Angle	Horizontal 178°, Vertical 178°
Refresh Rate	60Hz
Interface	
Input	VGA*1, HDMI*1
OSD	
Multi- Language	8 (English, France, Spanish, German, Russia, Korea, Japanese, Simplified Chinese )
Mounting	
VESA	100mm*100mm
Wall-mounted Thread	4-M4 Threaded hole
General	
Power supply	DC 12V, 2A
Consumption	22 W(on)
Consumption	<0.5 W(Standby)
Operation Temperature	0°C ~ 40 °C (32°F~104°F)
Operating Humidity	20%~85% (No Condensation)
Storage Temperature	-10°C ~50°C (14°F~122°F)
Storage Humidity	10%~90% (No Condensation)
Dimension(W*H*D)	508.02mm*392.87mm*200mm (With Pedestal)
	20"*15.47"*7.87"(With Pedestal)
Package(W*H*D)	566mm*382mm*166mm (22.28"*15.04"*6.54")
Weight	Net Weight:2.3Kg (5.07Lb) Gross Weight:3.4Kg(7.5Lb)
Accessory	
Standard	Adapter, Pedestal, Quick Guide
Optional	Hanging bracket(Model: HB-4022-E)




## **Appearance**

## **Dimensions**





### **Interfaces**



#### Zhejiang Uniview Technologies Co.,Ltd.

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: overseas business@uniview.com; global support@uniview.com

http://www.uniview.com

©2022 Zhejiang Uniview Technologies Co.,Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.