


Smart Interactive Display

MW3565-T-C



Key Features

- Metal housing, 4mm AG anti-glare tempered glass, and ultra-thin and ultra-narrow appearance.
- IR (Infrared Ray) touch technology.
- Wireless screen sharing, convenient to presentation.
- Built-in Android system and optional with Pluggable PC Module.
- Double LAN bridging, supporting Android, Pluggable PC Module (Windows system) and external PC realize network bridging.
- In the standby state, the HDMI channel signal input intelligent wake-up.

Specifications

Model	MW3565-T-C
Display	
Screen Size	65 inches
Backlight	DLED
Pixel Pitch(mm)	0.372*0.372
Resolution	3840*2160
Brightness(cd/m ²)	350
Contrast	1200:1


Response Time(ms)	8
Color	10bit
Viewing Angle	Horizontal 178°, Vertical 178°
View Area(W*H)	1429*804
Android System	
Main chip	T982
CPU Working Frequency	1.9GHz
CPU	Quad-core Cortex A55, Mali-G52MP2
RAM	4GB
ROM	32GB
OS	Android 11.0
Touch	
Sensing Type	Infrared Touch Frame, 20-point multi-touch
Surface Protection	4mm Toughened Glass
Touch Accuracy (mm)	±1
Minimum identifier (mm)	2
Response Time (ms)	≤10
Touchscreen input	Opaque objects (e.g. finger, pen, etc.)
Theory Clicks	More than 60 million times in the same location
Interface	
Front interface	2*USB 2.0
Onboard interface	2*HDMI IN、1*USB 3.0、1*USB 2.0、1*TOUCH USB 2.0、1*TF、1*AV IN、1*AV OUT、1*RS232、1*RJ45 IN、1*RJ45 OUT、1*EARPHONE OUT、1*COAX
Speaker	
Speaker	2*16W
OSD	
Multi- Language	10(English, Simplified Chinese, Traditional Chinese, German, Spanish, French, Italian, Portuguese, Korean, Russian)
Bluetooth	
Version	5.0
Working frequency	2.4GHz
Performance	10m transmission distance in open space
Wi-Fi	
Version	802.11ac/b/g/n/a
Working frequency	2.4GHz/5GHz
Performance	10m transmission distance in open space
VESA	
Wall mount hole (mm)	500*400
Wall mount screw (mm)	4-M8(25mm deep thread)
General	


Power Supply	AC 100V~240V, 50~60Hz
Consumption(W)	≤210 ≤0.5(Standby)
Operation Temperature	0°C~40°C
Operating Humidity	10%~90% (No Condensation)
Storage Temperature	-20~60°C
Storage Humidity	10%~90% (No-condensing)
Product Size(W*H*D) (mm)	1484.6*903.08*87.21
Packing Size(W*H*D)(mm)	1630*1050*220
Weight(kg)	Net Weight:38.5 Gross Weight:47.25
Accessory	
Standard	1*Touch Pen、1*Wall Mount、1*Power Cable、1*Quick Guide、1*Easy Use Instruction

Appearance

Dimensions

MW3565-T-C





Interfaces



USB




USB

COAX



RS232



AV IN




AV OUT




EARPHONE OUT




RJ45-OUT




RJ45-IN



HDMI 2



HDMI 1



TOUCH OUT



USB 2.0



USB 3.0



TF



Order Information

Model	Remake
MW3565-T-C	Smart Interactive Display
Wireless Screen Sharing Dongle	Optional
Mobile Stand	Optional
I5 Processor Pluggable PC Module(Win10 System is Not Activated)	Optional
I7 Processor Pluggable PC Module(Win10 System is Not Activated)	Optional

USB Camera

Optional

Zhejiang Uniview Technologies Co.,Ltd.

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

<http://www.uniview.com>

©2022 Zhejiang Uniview Technologies Co.,Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.