


# Smart Interactive Display

MW3575-T-C



## Key Features

- Metal housing, 4mm AG anti-glare tempered glass, and ultra-thin and ultra-narrow appearance.
- IR (Infrared Ray) touch technology.
- Wireless screen sharing, convenient to presentation.
- Built-in Android system and optional with Pluggable PC Module.
- Double LAN bridging, supporting Android, Pluggable PC Module (Windows system) and external PC realize network bridging.
- In the standby state, the HDMI channel signal input intelligent wake-up.

## Specifications

|                                |                 |
|--------------------------------|-----------------|
| Model                          | MW3575-T-C      |
| Display                        |                 |
| Screen Size                    | 75 inches       |
| Backlight                      | DLED            |
| Pixel Pitch(mm)                | 0.42975*0.42975 |
| Resolution                     | 3840*2160       |
| Brightness(cd/m <sup>2</sup> ) | 350             |
| Contrast                       | 1200:1          |


|                         |  |
|-------------------------|--|
| Response Time(ms)       | 8  |
| Color                   | 10bit  |
| Viewing Angle           | Horizontal 178°, Vertical 178°   |
| View Area(W*H)          | 1651*929   |
| <b>Android System</b>   |  |
| Main chip               | T982   |
| CPU Working Frequency   | 1.9GHz   |
| CPU                     | Quad-core Cortex A55, Mali-G52MP2  |
| RAM                     | 4GB  |
| ROM                     | 32GB   |
| OS                      | Android 11.0   |
| <b>Touch</b>            |  |
| Sensing Type            | Infrared Touch Frame, 20-point multi-touch   |
| Surface Protection      | 4mm Toughened Glass  |
| Touch Accuracy (mm)     | ±1   |
| Minimum identifier (mm) | 2  |
| Response Time (ms)      | ≤10  |
| Touchscreen input       | Opaque objects (e.g. finger, pen, etc.)  |
| Theory Clicks           | More than 60 million times in the same location  |
| <b>Interface</b>        |  |
| Front interface         | 2*USB 2.0  |
| Onboard interface       | 2*HDMI IN、1*USB 3.0、1*USB 2.0、1*TOUCH USB 2.0、1*TF、1*AV IN、1*AV OUT、1*RS232、1*RJ45 IN、1*RJ45 OUT、1*EARPHONE OUT、1*COAX |
| <b>Speaker</b>          |  |
| Speaker                 | 2*16W  |
| <b>OSD</b>              |  |
| Multi- Language         | 10(English, Simplified Chinese, Traditional Chinese, German, Spanish, French, Italian, Portuguese, Korean, Russian)    |
| <b>Bluetooth</b>        |  |
| Version                 | 5.0  |
| Working frequency       | 2.4GHz   |
| Performance             | 10m transmission distance in open space  |
| <b>Wi-Fi</b>            |  |
| Version                 | 802.11ac/b/g/n/a   |
| Working frequency       | 2.4GHz/5GHz  |
| Performance             | 10m transmission distance in open space  |
| <b>VESA</b>             |  |
| Wall mount hole (mm)    | 600*400  |
| Wall mount screw (mm)   | 4-M8(25mm deep thread)   |
| <b>General</b>          |  |


|                          |   |
|--------------------------|---|
| Power Supply             | AC 100V~240V, 50~60Hz   |
| Consumption(W)           | ≤290<br>≤0.5(Standby)   |
| Operation Temperature    | 0°C~40°C  |
| Operating Humidity       | 10%~90% (No Condensation)   |
| Storage Temperature      | -20~60°C  |
| Storage Humidity         | 10%~90% (No-condensing)   |
| Product Size(W*H*D) (mm) | 1706.76*1027.32*87.31   |
| Packing Size(W*H*D)(mm)  | 1860*1160*220   |
| Weight(kg)               | Net Weight:51.9<br>Gross Weight:65.7  |
| <b>Accessory</b>         |   |
| Standard                 | 1*Touch Pen、1*Wall Mount、1*Power Cable、1*Quick Guide、1*Easy Use Instruction |

## Appearance

## Dimensions

MW3575-T-C





## Interfaces



USB




USB

COAX



RS232



AV IN




AV OUT




EARPHONE OUT



RJ45-OUT



RJ45-IN



HDMI 2



HDMI 1



TOUCH OUT




USB 2.0



USB 3.0



TF



## Order Information

| Model   | Remake                    |
|---|---------------------------|
| MW3565/75/86-T-C  | Smart Interactive Display |
| Wireless Screen Sharing Dongle                                  | Optional                  |
| Mobile Stand  | Optional                  |
| I5 Processor Pluggable PC Module(Win10 System is Not Activated) | Optional                  |
| I7 Processor Pluggable PC Module(Win10 System is Not Activated) | Optional                  |
| USB Camera  | Optional                  |

**Zhejiang Uniview Technologies Co.,Ltd.**

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: [overseasbusiness@uniview.com](mailto:overseasbusiness@uniview.com); [globalsupport@uniview.com](mailto:globalsupport@uniview.com)

<http://www.uniview.com>

©2022 Zhejiang Uniview Technologies Co.,Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.

---